## **Pearson Edexcel GCE**

# **Decision Mathematics D1**

## **Advanced/Advanced Subsidiary**

Friday 16 June 2017 – Afternoon

Time: 1 hour 30 minutes

Paper Reference

6689/01

You must have:

D1 Answer Book

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

#### **Instructions**

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** on the top of the answer book with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the D1 answer book provided
  there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.
- Do not return the question paper with the answer book.

#### Information

- The total mark for this paper is 75.
- The marks for each question are shown in brackets
  use this as a quide as to how much time to spend on each question.

#### **Advice**

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







#### Write your answers in the D1 answer book for this paper.

- (a) Define the terms
  - (i) bipartite graph,
  - (ii) alternating path.

E •




Figure 1




Figure 2

At a hotel, six guests, A, B, C, D, E and F, are to be allocated to six rooms, 1, 2, 3, 4, 5 and 6. Each room needs to be allocated to exactly one guest.

A bipartite graph showing their possible allocations is given in Figure 1. An initial matching is given in Figure 2.

(b) Starting from the initial matching given in Figure 2, apply the maximum matching algorithm to find an alternating path from F to 5. Hence find an improved matching. You must list the alternating path that you use and state your improved matching.

**(3)** 

**(4)** 

Guest C now has room 5 added to his possible allocations.

(c) Starting with the improved matching found in (b), apply the maximum matching algorithm to obtain a complete matching. You must list the alternating path that you use and state your complete matching.

**(3)** 

(Total 10 marks)

2.




Figure 3 represents nine computer terminals, A, B, C, D, E, F, G, H and J, at Pearsonby School. The school wishes to connect them to form a single computer network. The number on each arc represents the cost, in pounds, of connecting the corresponding computer terminals.

(a) Use Prim's algorithm, starting at B, to find the minimum spanning tree for the computer network. You must clearly state the order in which you select the arcs of your tree.

(3)

(b) State the minimum cost of connecting the nine computer terminals.

**(1)** 

It is discovered that some computer terminals are already connected. There are already direct connections along BD and FJ, as shown in bold in Diagram 1 in the answer book. It is decided to use these connections.

(c) Use Kruskal's algorithm to find the minimum spanning tree that includes arcs BD and FJ. You must list the arcs in the order that you consider them. In each case, state whether or not you are adding the arcs to your spanning tree.

**(3)** 

(Total 7 marks)

(a) Use the	e first-f l into bii		-	g alg	orithm	to de	termin	e hov	v the r	numbers	listed ab	ove ca	ın be
pastiss			.20 00										(3)
(b) The list list. Y							_			quick son		n the se	orted
						1		J	J 1		J		(4)
(c) Use the bins of	e first-fi		asing b	oin pa	cking a	algoritl	nm on	your (	ordered	l list to p	ack the n	umbers	into
													(3)
The nine d	istinct n	umbers	belov	v are 1	to be s	orted i	nto de	scendi	ng ord	er			
		23	14	17	X	21	18	8	20	11			
A bubble so the first con		_			d end o	of the	list, is	to be	used to	obtain	the sorted	i list.	After
		23	17	x	21	18	14	20	11	8			
After the se	econd co	omplete	e pass,	the li	st is								
		23	17	21	18	x	20	14	11	8			
(d) Using			n, writ	e dow	n the s	smalles	st inter	val tha	at must	contain	<b>x</b> . Give :	your an	swer
as an 1	nequalit	y.											(3)


(Total 13 marks)

42 21 15 16 35 10 31 11 27 39

P49113A 4

3.

4.



**Figure 4**[*The total weight of the network is 85*]

Figure 4 represents a network of roads. The number on each edge represents the length, in miles, of the corresponding road. Robyn wishes to travel from A to H. She wishes to minimise the distance she travels.

(a) Use Dijkstra's algorithm to find the shortest path from A to H. State the shortest path and its length.

**(6)** 

On a particular day, Robyn needs to check each road. She must travel along each road at least once. Robyn must start and finish at vertex A.

(b) Use the route inspection algorithm to find the length of the shortest inspection route. State the edges that should be repeated. You should make your method and working clear.

**(5)** 

The roads BD and BE become damaged and cannot be used. Robyn needs to travel along all the remaining roads to check that there is no damage to any of them. The inspection route must still start and finish at vertex A.

- (c) (i) State the edges that should be repeated.
  - (ii) State a possible route and calculate its length. You must make your method and working clear.

(Total 15 marks)






Figure 5

Figure 5 shows the constraints of a linear programming problem in x and y, where R is the feasible region.

(a) Write down the inequalities that form region R.

**(2)** 

(b) Find the exact coordinates of the vertices of the feasible region.

(3)

The objective is to maximise P, where P = 2x + 3y

(c) Use point testing to find the optimal vertex, V, of the feasible region.

**(2)** 

The objective is changed to maximise Q, where  $Q = 2x + \lambda y$ 

Given that  $\lambda$  is a constant and V is still the only optimal vertex of the feasible region,

(d) find the range of possible values of  $\lambda$ .

**(4)** 

(Total 11 marks)

**6.** 




Figure 6

A project is modelled by the activity network shown in Figure 6. The activities are represented by the arcs. The number in brackets on each arc gives the time, in days, to complete the corresponding activity. Each activity requires exactly one worker. The project is to be completed in the shortest possible time.

(a) Complete Diagram 1 in the answer book to show the early event times and the late event times. (4)

(b) Draw a Gantt chart for the project on the grid provided in the answer book. (4)

(c) State the activities that must be happening at time 18.5 (1)

An additional activity, P, is now included in the activity network shown in Figure 6. Activity P is immediately preceded only by activity D. No activity is dependent on the completion of activity P.

Each activity still requires exactly one worker and the revised project is to be completed in the shortest possible time.

- (d) Explain, briefly, whether or not the revised project can be completed in the same time as the original project if the duration of activity P is
  - (i) 10 days
  - (ii) 17 days (2)

(Total 11 marks)

7. A caterer can make three different sizes of salad; small, medium and large.

The caterer will make a total of at least 280 salads.

The caterer wants at least 35% of the salads to be small and no more than 20% of the salads to be large.

The caterer has enough ingredients to make 400 small salads or 300 medium salads or 200 large salads.

The profit on each small, medium and large salad is 40p, 60p and 85p respectively. The caterer wants to maximise his total profit.

Let x represent the number of small salads, y represent the number of medium salads and z represent the number of large salads.

Formulate this information as a linear programming problem, stating the objective and listing the constraints as simplified inequalities with integer coefficients.

You should **not** attempt to solve the problem.

(Total 8 marks)

**TOTAL FOR PAPER: 75 MARKS** 

**END** 

**BLANK PAGE** 

**BLANK PAGE** 

**BLANK PAGE** 

Write your name here Surname Other names Centre Number Candidate Number **Pearson Edexcel GCE Decision Mathematics D1 Advanced/Advanced Subsidiary** Friday 16 June 2017 - Afternoon Paper Reference 6689/01 Time: 1 hour 30 minutes **Answer Book** Total Marks Do not return the question paper with the answer book.

Turn over ▶

Pearson



**1.** (a) • 2  $\mathbf{C} \bullet$ **E** • Figure 1 Figure 2

Question 1 continued				blanl
<b>A</b> •	• 1	<b>A</b> •	• 1	
В•	• 2	В•	• 2	
<b>C</b> •	• 3	C •	• 3	
D •	• 4	D •	• 4	
E •	• 5	E ●	• 5	
F •	• 6	<b>F</b> ●	• 6	
				Q1
			(Total 10 marks)	






Figure 3

Р	4	9	1 1	1 3	3 A	0	4	2	0



### Question 2 continued




Diagram 1

(Total 7 marks)




J

Q2

3.	42	21	15	16	35	10	31	11	27	39






	Leave
	blank
Question 4 continued	
Question i continued	



tinued			

Question 4 continued	L	Leave
		Q4
(Total 15 ma	rks)	





12


	Leave
	blank
Question 5 continued	



Question 3 (	continued			

Question 5 continued		b
	(Total 11 marks)	





Question 6 continued		blank
		Q6
	(T) 4 1 4 4 1 1 1	$\bigcap$
	(Total 11 marks)	




Question 7 continued	blank
Question / continued	



Question 7 continued		
		C
		1
	(Total 8 marks)	
	TOTAL FOR PAPER: 75 MARKS	